

To: Egan, Robert[egan.robert@epa.gov]
From: Kamke, Sherry
Sent: Thur 3/24/2016 2:49:39 PM
Subject: FW: All Parties Meeting on Tower Standard
removed.txt

Bob,

See below.


From: Dave Larsen [mailto:dlarsen@reiengineering.com]
Sent: Thursday, March 24, 2016 9:49 AM
To: Kamke, Sherry <Kamke.Sherry@epa.gov>
Subject: RE: All Parties Meeting on Tower Standard




Thanks Sherry. I should be in the office today if you need to get in touch with me. With regard to the ability to pay letter, would it be possible to get a draft/unsigned copy of the letter so I can relay the letters intent to Linda Kozak? If you have not already been made aware, Linda has health issues and is understandably worried about how this investigation involving the Tribe, EPA and WDNR will impact their lives going forward.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

From: Kamke, Sherry [<mailto:Kamke.Sherry@epa.gov>]
Sent: Thursday, March 24, 2016 9:21 AM
To: Dave Larsen <dlarsen@reiengineering.com>
Cc: Egan, Robert <egan.robert@epa.gov>
Subject: RE: All Parties Meeting on Tower Standard

Thanks for getting back to me. I think we should go ahead with a meeting on the 19th since everyone but the Kozaks can attend. From that point on we will set up monthly technical meetings that the Kozaks will be invited to but would not be expected to attend.

Bob will be talking with the Kozaks today. We are processing an ability to pay letter now and we hope to have it signed by Monday or Tuesday. Bob will be talking to the Kozaks about the private utilities so that they are located.

Please hold the 19th for this meeting. I know your schedule is very, very busy. We will get back to you with the details.

Thanks,

Sherry

From: Dave Larsen [<mailto:dlarsen@reiengineering.com>]
Sent: Thursday, March 24, 2016 9:07 AM
To: Kamke, Sherry <Kamke.Sherry@epa.gov>
Cc: Egan, Robert <egan.robert@epa.gov>
Subject: RE: All Parties Meeting on Tower Standard

Hello Sherry, I apologize for the delay I getting back to you. I have had an opportunity to discuss the 19th meeting date with the Kozak's and unfortunately they have prior commitments and cannot meet on the 19th. REI personnel (myself and my direct supervisor - Ken Lassa) should be able to make the meeting on the 19th.

In my discussions with Linda Kozak I was told that Bob Egan was in discussion with her about access to their property. Linda had asked for assurances from Bob (EPA) that they would not be held financially responsible for any of the proposed work scheduled for next week. I had also mentioned that Kozaks do have private buried utilities on their property and they should be located prior to initiating any boring activities.

If you have any questions or concerns, please do not hesitate in contacting me at your earliest convenience.

Thank you,

David N. Larsen P.G




Hydrogeologist / Professional Geologist



David N. Larsen, P.G.
Hydrogeologist
Dlarsen@REIengineering.com

Tel: 877-734-7745
715-675-9784
Cell: 715-551-3434
Fax: 715-675-4060



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

From: Kamke, Sherry [<mailto:Kamke.Sherry@epa.gov>]
Sent: Wednesday, March 23, 2016 1:06 PM
To: Dave Larsen <dlarsen@reiengineering.com>
Cc: Egan, Robert <egan.robert@epa.gov>
Subject: All Parties Meeting on Tower Standard

Dave,

Is there a chance that you can participate in an All Parties meeting to discuss Tower Standard. It would be a meeting of DNR, EPA, tribe, you and the Kozaks (if they can attend)

April 19th is a date that works for most people.

Sherry A. Kamke

Underground Storage Tank Section Chief

RCRA Branch

Land and Chemicals Division

U.S. EPA Region 5

77 W. Jackson Blvd. (LR-8J)

Chicago, IL 60604

(312) 353-5794

kamke.sherry@epa.gov

This email was scanned by BitDefender.

This email was scanned by BitDefender.